## **ATTACHMENT A**

• ( )

## **CLAIMS:**

- 1. (currently amended) A surgical fastening device for pinning a surgical filament to a body tissue, comprising:
  - (f) (a) a grasping handle;
  - (g) (b) a slender shaft extending from the grasping handle, the shaft having a distal end;
  - (h) (c) a compartment configured to contain one or more surgical fasteners;
  - (i) (d) an activatable ejecting mechanism ejecting a surgical fastener from the compartment distal end of the shaft; and
  - (j) (e) a filament dispensing system configured to dispense surgical filament along the shaft, so that a fastener grasps the filament when being ejected from the shaft at the distal end of the shaft, a fastener grasping the filament ejected from the distal end of the shaft.
- 2. (original) The surgical fastening device according to Claim 1 wherein the ejecting mechanism is spring mechanism, a hydraulic mechanism or a pneumatic mechanism.
- 3. (currently amended) The surgical fastening device according to Claim 1 of Claim 2 further comprising a cutter for cutting the filament.
- **4. (original)** The surgical fastening device according to Claim 3 wherein the cutter comprises a blade, a hot wire, or an RF generator.
- 5. (currently amended) The surgical fastening device according to any one of the previous claims Claim 1 further comprising a surgical filament.
- **6. (original)** The surgical fastening device according to Claim 5 wherein the filament is a mesh, a ribbon, a strip, a wire, a net or a thread.

7. (currently amended) The surgical fastening device according to any one of the previous claims Claim 1 wherein the fasteners are contained in the shaft.

7 th 3

- 8. (currently amended) The surgical fastening device according to any one of the previous claims Claim 1 further comprising one or more surgical fasteners.
- **9. (original)** The surgical fastening device according to Claim 8 wherein the fasteners comprises a barbed prong extending from a disc.
- 10. (original) The surgical fastening device according to Claim 9 wherein the fasteners comprise two or more barbs.
- 11. (currently amended) The surgical fastening device according to Claim 9 or Claim 10 wherein the fasteners have spring like fins extending from the disc.
- 12. (currently amended) The surgical fastening device according to any one of Claims 9 to 11 Claim 9 wherein the fasteners have barbed projections extending from the disc.
- 13. (original) The surgical fastening device according to Claim 9 wherein the fasteners comprise a helical wire having a first barbed end and a second end attached to a propeller.
- 14. (original) The surgical fastening device according to Claim 8 wherein the fasteners comprise a crown from which extend two prongs.
- 15. (original) The surgical fastening device according to Claim 8 wherein the fasteners comprise a socket configured to receive a rotatable driving rod.
- 16. (original) The surgical fastening device according to Claim 7 further comprising one or more surgical fasteners in the shaft.
- 17. (original) The surgical fastening device according to Claim 16 wherein the fastener has a ring portion from which extend two barbed prongs.
- 18. (original) The surgical fastening device according to Claim 16 wherein the fastener has an unconstrained configuration in which the prongs curve outwards from the ring portion and a constrained state in which the prongs are straight and parallel to a longitudinal axis of the ring portion.

19. (original) The surgical fastening device according to Claim 18 wherein the fasteners are maintained in the constrained state in the shaft.

1 ( . )

- 20. (currently amended) The surgical fastening device according to any one of the previous claims. Claim 1 wherein a fastener is pinched so as to grasp the filament when being ejected from the shaft.
- 21. (currently amended) The surgical fastening device according to any one of claims 1 to 20 Claim 1 wherein a fastener pierces the filament when being ejected from the shaft.
- 22. (currently amended) The surgical fastening device according to any one of Claims 1 to 20. Claim 1 wherein a fastener passes through a hole in the filament when being ejected from the shaft.
- 23. (currently amended) The surgical fastening device according to any one of Claims 1 to 20 Claim 1 wherein notches are formed along edges of the filament and prongs of a fastener enter the notches when being ejected from the shaft.
- 24. (currently amended) The surgical fastening device according to any one of the previous claims Claim 1 wherein the filament has spaced apart bulges.
- 25. (original) The surgical fastening device according to Claim 7 further comprising a ratchet mechanism preventing movement of fasteners in the shaft towards the grasping handle.
- 26. (currently amended) The surgical fastening device according to any one of the previous claims Claim 1 wherein the ejecting mechanism is located in the grasping handle.
- 27. (original) The surgical fastening device according to Claim 1 configured to screw a fastener into a body tissue.
- 28. (currently amended) A surgical fastener for use in the surgical fastening device according to any one of the previous claims Claim 1.
- 29. (original) The surgical fastener according to Claim 27 formed from a biodegradable material.

30. (currently amended) The surgical according to Claim 27 or 28 formed from stainless steel or Nitinol<sup>TM</sup>.

. . . .

- 31. (currently amended) A surgical filament for use in the surgical fastening device according to any one of Claims 1 to 24 Claim 1.
- **32.** (original) The surgical filament according to Claim 30 made from a biodegradable material.
- 33. (currently amended) Use of a surgical fastening device according to any one of Claims 1 to 27 Claim 1 for attaching a surgical filament to a body tissue.
- 34. (currently amended) The surgical fastening device according to any-one of Claims 1 to 27 Claim 1 for use in attaching a surgical filament to a body tissue.
- 35. (currently amended) A method for pinning a surgical filament to a first location of body tissue in a body cavity comprising introducing into the body cavity a surgical fastening device according to any one of Claims 1 to 27 Claim 1, into the cavity and ejecting a first surgical fastener from the shaft so as to pin a surgical filament to the first location.
- 36. (original) The method according to Claim 35 further comprising ejecting a second surgical fastener from the shaft so as to pin the filament to a second location of body tissue in the cavity.
- 37. (original) The method according to Claim 36 wherein the filament is stretched taut between the first and second locations before the second fastener is ejected.
- 38. (original) The method according to Claim 37 for use in the treatment of stress incontinence, inguinal hernia, pelvic organ prolapse, gastroesophageal reflux, laproscopic anastomoses of a tubular organ, and repair of ureteropelvic obstruction.